



## INFRARED SAUNA JI150


### Specifications and assembly instructions

#### SPECIFICATIONS



Model	Ji150
Dimensions	1500x1100x1900 mm
Number of persons	3
Wood	Pine, heat treated, 48 mm
Glass	Transparent, tempered, 8 mm
Hinges	Stainless Steel
Control	Control panel with buttons
Operating time	Up to 90 min
Temperature	Up to 65 °C
Ventilation	Yes
Connectivity	USB, Bluetooth, Radio, App
Lighting	LED RGB starry sky
Heaters	2100 W
Connection	Schuko socket 230 V, 50Hz, 16 A fuse
Weight	205 kg

## COMPONENTS



1 Cover plate

2 Ceiling panel

3 Left side

4 Left glass panel

5 Doors

6 Right glass panel

7 Back plate

8 Right side

9 Control panel

10 Bench

11 The front side of the bench

12 Handle

13 Bottom

## RECOMMENDED TOOLS



Screwdriver



Meter



Screwdriver



Screws



Water scale



Imbus key



Knife




Ladder

## ASSEMBLY TIPS

Please remove the transport packaging and check that your infrared sauna has been delivered complete and undamaged before starting assembly. At least two people are needed to assemble the sauna.



## ASSEMBLY STEPS



1. Bottom



2. Back side



3. Left side



4. The front side of the bench



5. Bench



6. Right side



7. Ceiling panel



8. Left glass panel



9. Right glass panel





10 Glass doors




11 Handle



12 Cover plate


## Installing the outer buckle



①



②



③

## Connecting electrical components



1. Connect the power cable under the bench (for saunas with lower and floor heaters).



2. Connect the blue UTP cable from the control panel to the sauna control unit.



3. Connect the power cables between the control unit and the stove.

## Installation of hinges, handle and cover



1. Install the hinges



2. Install the handle



3. Install the cover plate

