




## INFRARED SAUNA JI180


### Specifications and assembly instructions

#### SPECIFICATIONS



Model	Ji180
Dimensions	1800x1200x2005 mm
Number of persons	4
Wood	Pine, heat treated, 48mm
Glass	Transparent, tempered, 8 mm
Hinges	Stainless Steel
Control	Touch control panel
Operating time	Up to 90 min
Temperature	Up to 65°C
Ventilation	Yes
Connectivity	USB, Bluetooth, Radio, App
Lighting	LED RGB starry sky
Heaters	3075 W
Connection	Schuko socket 230V/50Hz 16A fuse
Weight	280 kg

## COMPONENTS



1 Cover plate

2 Ceiling panel

3 Left side

4 Front panel with glass

5 Handle

6 Bottom

7 Back plate

8 Right side

9 Control panel

10 Bench

11 The front side of the bench

## RECOMMENDED TOOLS



Screwdriver (set)



Meter



Screwdriver



Screws (set)



Water scale



Imbus key (set)



Knife



Ladder

## ASSEMBLY TIPS


Please remove the transport packaging and check that your infrared sauna has been delivered complete and undamaged before starting assembly. At least two people are needed to assemble the sauna.



## ASSEMBLY STEPS



1. Back plate




2. Left side



3. Bottom



4. The front side of the bench



5. Bench



6. Right side



7. Front panel with glasses and handle




8. Ceiling panel



9. Cover plate



## Installing the outer buckle



## Connecting electrical components



1. Connect the power cable under the bench (for saunas with lower and floor heaters).



2. Connect the blue UTP cable from the control panel to the sauna control unit.



3. Connect the power cables between the control unit and the stove.

## Installation of hinges, handle and cover



1. Install the hinges



2. Install the handle



3. Install the cover plate

