



## INFRARED SAUNA JIC120


### Specifications and assembly instructions

#### SPECIFICATIONS



Model	JIC120
Dimensions	1200x1050x1900 mm
Number of persons	2
Wood	Pine, heat treated, 48 mm
Glass	Transparent, tempered, 8 mm
Hinges	INOX
Control	Control panel with buttons
Operating time	Up to 90 min
Temperature	Up to 50 °C
Ventilation	Yes
Connectivity	USB, Bluetooth, Radio, App
Lighting	LED reading lights
Heaters	2350 W
Connection	Schuko socket 230 V, 50 Hz, 16 A fuse
Weight	155 kg

## COMPONENTS



1 Cover plate

2 Ceiling panel

3 Left side

4 Control panel

5 Front panel with glass

6 Handle

7 Back plate

8 Right side

9 Bench

10 Bench front panel

11 Bottom

## RECOMMENDED TOOLS



Screwdriver

Meter



Screwdriver



Screws



Water scale



Imbus key



Knife



Ladder

## ASSEMBLY TIPS

Please remove the transport packaging and check that your infrared sauna has been delivered complete and undamaged before starting assembly. At least three people are needed to assemble the sauna.



## ASSEMBLY STEPS



1. Bottom



2. Back plate



3. Left side



4. Front bench panel



5. Bench



6. Right side



7. Ceiling panel



8. Left glass panel



9. Right glass panel





10 Glass door




11 Handle




12 Cover plate


## Installing the outer buckle



①



②



③

## Connecting electrical components



1. Connect the power cable under the bench (for saunas with lower and floor heaters).

2. Connect the blue UTP cable from the control panel to the sauna control unit.

3. Connect the power cables between the control unit and the stove.

\* in case of ambiguity, call +38670 700 805.

## Installation of hinges, handle and cover



1. Install the hinges - the soft parts must be next to the glass, on the inside of the hinges 2.



2. Install the handle, screws from the inside of the sauna.



3. Install the cover plate