



## COMBINATION SAUNA JCP130


### Specification and assembly instructions

#### SPECIFICATIONS



Model	JCP130
Dimensions	1300x1250x2000 mm
No. of persons	3
Wood	Hemlock, 50 mm
Glass	Black, tempered, 8 mm
Hinges	INOX
Control	Touch control panel
Operating time	Do 90 min
Temperature	IR up to 65 °C, finnish up to 90 °C
Ventilation	Yes
Connectivity	USB, Bluetooth, Radio, App
Lighting	LED RGB starry sky
Heaters	2250 W, Full spectrum, regulation
Stove	4,5 kW, with thermostat, timer and volcanic stone
Plug in	Single-phase source: Schuko socket 230 V, 50Hz, 16 A fuse Three-phase source: Euro socket 400 V, 50Hz, 3x 16 A fuse
Weight	250 kg

## COMPONENTS



- 1 Cover plate
- 2 Ceiling panel
- 3 Left side
- 4 Front side
- 5 Handles
- 6 Stove
- 7 Backplate

- 8 Backrests
- 9 Right side
- 10 Control panel
- 11 Upper bench
- 12 Lower bench
- 13 Stove frame
- 14 Bottom


## RECOMMENDED TOOLS



Screwdriver



Meter



Screwdriver



Screws



Water scale



Imbus key



Knife




Ladder

## ASSEMBLY TIPS

Please remove the transport packaging and check that your sauna has been delivered complete and undamaged before starting assembly. At least three people are required to assemble the sauna.



## ASSEMBLY STEPS



1. Backplate



2. Left side



3. Bottom



4. upper bench



5. Right side



6. Lower bench



7. Front panel



8. Ceiling panel



9. Backrests





10 Handle




11 Cover plate




12 Stove and frame


### Installing the outer buckle



①



②



③

### Connecting electrical components



1. Connect the power cable under the bench (for saunas with lower and floor heaters).



2. Connect the blue UTP cable from the control panel to the sauna control unit.



3. Connect the power cables between the control unit and the stove.

### Installation of hinges, handle and cover



1. Install the hinges



2. Install the handle



3. Install the cover plate



# CONNECTION TO THE ELECTRICAL NETWORK

FOR SAUNAS: JC200, JC180, JCP130

